

~~SECRET~~ ~~CONFIDENTIAL~~

1. *What is the main purpose of the study?*  
 2. *What are the research objectives?*  
 3. *What is the research methodology?*  
 4. *What are the findings of the study?*  
 5. *What are the conclusions of the study?*  
 6. *What are the limitations of the study?*  
 7. *What are the implications of the study?*  
 8. *What are the future research directions?*  
 9. *What are the contributions of the study?*  
 10. *What are the key words of the study?*

Downloaded from <http://www.jstor.org/stable/2346111> on Tue, 20 Jun 2016 12:01:05 UTC  
All use subject to [JSTOR Terms and Conditions](#)

25X1A6d

~~NO. PCS 3 CREDITED TO ORG COMP 33 ON 30 DEC CLASS S  
REV CLASS C REV COOD. AUTH: HR 784~~

2. Attached are copies of my memorandum to the Director of Security, dated 27 January 1954 and the Director of Security's reply, dated 4 May 1954. The cost of the laminating machine and accessory equipment will not exceed \$1,000. Funds for this purchase are available within the [redacted] budget.

10. *Journal of the American Medical Association*, 277: 1033-1034, 1997.

**L. K. WHITE**

Precautions must be taken to insure that equipment purchased is standard with that of Security Office or at least turns out same end product using same materials etc.

LKW